

IN THE CLAIMS:

Please cancel Claims 34, 35 and 44 without prejudice or disclaimer of subject matter, and amend the claims as shown below. The claims, as currently pending in the application, read as follows:

1. to 22. (Cancelled).

23. (Currently Amended) A system having an entrance/exit management apparatus for regulating an entrance/exit of a person and a wireless communication terminal for communicating with the entrance/exit management apparatus, wherein:

the entrance/exit management apparatus comprises:

a ~~message exchange~~ transceiving device adapted to transmit, by a first wireless communication method, ~~an indication signal for indicating a communication function restriction request to~~ of a second wireless communication method of the wireless communication terminal and to receive a response ~~[[for]] to the indication signal; and~~ communication function restriction request from the wireless communication terminal; and

a gate device adapted to permit an entrance/exit of a person when the ~~message exchange by said message exchange~~ transmitting of the communication function restriction request and the receiving of the response by said transceiving device is completed; and

the wireless communication terminal comprises:

a first communication device adapted to communicate with the entrance/exit management apparatus by the first wireless communication method;

a second communication device adapted to communicate by the second wireless communication method; and

a restriction device adapted to restrict communication of said second communication device in accordance with the ~~indication signal~~ communication function restriction request received from said ~~message exchange transceiving~~ device by said first wireless communication method.

24. (Currently Amended) A system having an entrance/exit management apparatus for regulating an entrance/exit of a person and having a server apparatus for managing an entrance/exit of a person, wherein:

the entrance/exit management apparatus comprises:

a ~~message exchange transceiving~~ device adapted to transmit, by a first wireless communication method, ~~an indication signal for indicating a communication function restriction request to of a second wireless communication method of a wireless communication terminal and to receive a response [[for]] to the indication signal~~ communication function restriction request from the wireless communication terminal;

a gate device adapted to permit an entrance/exit of a person when the ~~message exchange by said message exchange transmitting of the communication function restriction request and the receiving of the response by said transceiving device is~~ complete; and

a notification device adapted to notify the server apparatus of an indication that the wireless communication terminal from which the response was received by said ~~message exchange transceiving~~ device exists in a predetermined area; and

the server apparatus comprises:

a management device adapted to manage an existence location of the wireless communication terminal in accordance with a notice supplied from said notification device.

25. (Previously Presented) A system according to claim 24, wherein said management device notifies the existence location of the wireless communication terminal to a second server apparatus owned by a carrier providing wireless communication for the wireless communication terminal.

26. (Previously Presented) A system according to claim 24, wherein said management device also manages an entering/leaving time of the wireless communication terminal relative to the predetermined area.

27. (Currently Amended) An entrance/exit management apparatus for regulating an entrance/exit of a person, comprising:

a ~~message exchange~~ transceiving device adapted to transmit, by a first wireless communication method, ~~an indication signal for indicating a communication function restriction request to~~ of a second wireless communication method of a wireless communication terminal and to receive a response ~~[[for]] to the indication signal~~ communication function restriction request from the wireless communication terminal; and

a gate device adapted to permit an entrance/exit of a person when the ~~message exchange by said message exchange~~ transmitting of the communication function

restriction request and the receiving of the response by said transceiving device is complete.

28. (Previously Presented) An entrance/exit management apparatus according to claim 27, wherein said gate device regulates an entrance/exit of a person by opening/closing of a gate.

29. (Currently Amended) An entrance/exit management apparatus according to claim 27, wherein the ~~indication signal~~ communication function restriction request is used for selecting one of a non-restriction mode without communication restriction, a manner mode of automatically turning off incoming call sounds of real time communication, a drive mode of automatically responding to real time communication, a real time communication inhibition mode of permitting only non-real time communication, a call in/out restriction mode of inhibiting call in/out of all communications, and a wireless signal transmission restriction mode of inhibiting transmission of a wireless communication signal.

30. (Currently Amended) An entrance/exit management apparatus according to claim 27,

wherein the response contains information indicating a communication function by the second wireless communication method after the ~~indication signal~~ communication function restriction request is received.

31. (Previously Presented) An entrance/exit management apparatus according to claim 27, further comprising a notification device adapted to notify a server apparatus of an entering/leaving state of the wireless communication terminal relative to a predetermined area.

32. (Previously Presented) An entrance/exit management apparatus according to claim 27, further comprising a notification device adapted to notify a server apparatus of an entering/leaving time of the wireless communication terminal relative to a predetermined area.

33. (Currently Amended) An entrance/exit management apparatus according to claim 27, wherein said ~~message exchange~~ transceiving device transmits an indication signal for releasing the restriction of communication by the second wireless communication method when the wireless communication terminal exits from a predetermined area.

34. (Cancelled).

35. (Cancelled).

36. (Currently Amended) A wireless communication terminal comprising:

a first communication device adapted to communicate with an entrance/exit management apparatus for regulating an entrance/exit of a person by a first wireless communication method;

a second communication device adapted to communicate by a second wireless communication method; and

a restriction device adapted to restrict communication of said second communication device in accordance with ~~an instruction~~ a communication function restriction request received by said first communication device from the entrance/exit management apparatus which regulates the entrance/exit of the person.

37. (Currently Amended) A wireless communication terminal according to claim 36, further comprising a transmission device adapted to transmit information on the communication restriction as a response to the ~~instruction~~ communication function restriction request, and wherein the entrance/exit management apparatus regulates an entrance/exit of a person in accordance with contents of the response.

38. (Previously Presented) A wireless communication terminal according to claim 36, wherein said second communication device can switch among a plurality of communication restriction modes, and said restriction device changes the communication restriction mode of said second communication device in accordance with a mode designated by the entrance/exit management apparatus.

39. (Previously Presented) A wireless communication terminal according to claim 38, wherein when a person enters a predetermined area, if communication restriction of the mode designated by the entrance/exit management apparatus is more severe than communication restriction of a mode preset to said second communication mode, said restriction device changes a mode of said second communication device to the designated mode, whereas if not more severe, the mode is not changed.

40. (Previously Presented) A wireless communication terminal according to claim 38, wherein the communication restriction modes include at least one of a non-restriction mode without communication restriction, a manner mode of automatically turning off incoming call sounds of real time communication, a drive mode of automatically responding to real time communication, a real time communication inhibition mode of permitting only non-real time communication, a call in/out restriction mode of inhibiting call in/out of all communications and a wireless signal transmission restriction mode of inhibiting transmission of a wireless communication signal.

41. (Currently Amended) A control method for a system having an entrance/exit management apparatus for regulating an entrance/exit of a person and a wireless communication terminal for communicating with the entrance/exit management apparatus, wherein:

the entrance/exit management apparatus executes:

a ~~message exchange~~ transceiving step of transmitting, ~~an indication signal,~~
by a first wireless communication method, ~~for indicating~~ a communication function

~~restriction request to of a second wireless communication method of the wireless communication terminal and of receiving a response [[for]] to the indication signal~~
communication function restriction request; and

a permitting step of permitting an entrance/exit of a person when the ~~message exchange by said message exchange~~ transmitting of the communication function restriction request and the receiving of the response in said transceiving step is completed;
and

the wireless communication terminal has a second communication device adapted to communicate by the second wireless communication method, and the wireless communication terminal executes:

a communication step of communicating, via a first communication device, with the entrance/exit management apparatus by the first wireless communication method;
and

a restricting step of restricting communication of the second communication device in accordance with the ~~indication signal received from said message exchange step by the communication step using~~ communication function restriction request received in said transceiving step by the first wireless communication method.

42. (Currently Amended) A control method for a system having an entrance/exit management apparatus for regulating an entrance/exit of a person and having a server apparatus for managing an entrance/exit of a person, wherein:

the entrance/exit management apparatus executes:

a ~~message exchange~~ transceiving step of transmitting, by a first wireless communication method, an indication signal for indicating a communication function restriction request ~~to of a second wireless communication method~~ of a wireless communication terminal and of receiving a response ~~[[for]] to the indication signal~~ communication function restriction request;

a permitting step of permitting an entrance/exit of a person when the ~~message exchange by said message exchange~~ transmitting of the communication function restriction request and the receiving of the response in said transceiving step is complete; and

a notification step of notifying the server apparatus of an indication that the wireless communication terminal from which the response was received in said ~~message exchange~~ transceiving step exists in a predetermined area; and

the server apparatus executes:

a management step of managing an existence location of the wireless communication terminal in accordance with a notice supplied by said notification step.

43. (Currently Amended) A control method for an entrance/exit management apparatus for regulating an entrance/exit of a person, comprising:

a ~~message exchange~~ transceiving step of transmitting an indication signal a communication function restriction request to a wireless communication terminal by a first wireless communication method, and of receiving a response ~~for the indication signal, the indication signal for restricting communication, by a second wireless communication~~

~~method, of~~ to the communication function restriction request, from the wireless
communication terminal; and

a permitting step of permitting an entrance/exit of a person when the
transmitting of the communication function restriction request and the receiving of the
response in said transceiving step is complete.

44. (Cancelled).